

MARBOGRESS
SELF COLOURED SURFACES



POOJA

— collection —



100%
WATER PROOF

www.marbogresstilesllp.com

About

of marbogress

Welcome To Marbogress, Where Innovation Meets Tradition In The World Of Ceramic Tiles. With Decades Of Expertise, We Are Committed To Crafting High-quality Ceramic Tiles That Elevate Any Space, From Luxurious Homes To Dynamic Commercial Environments.

Our Journey Began With A Passion For Design And A Dedication To Superior Craftsmanship. We Combine Cutting-edge Technology With Time-honored Techniques To Create Tiles That Are Not Only Visually Stunning But Also Durable And Functional. Our Diverse Range Of Designs, Colors, And Finishes Ensures That You Will Find The Perfect Tile To Match Your Unique Style And Needs.

Marbogress tiles group

Purpose & Aspirations

Our Mission

We are committed to our objective of delivering an experience to our clients through our exceptional products and quality.

Our mission is to empower every space with the power of excellence and innovation.

Our Vision

We envision becoming the front-runners of the ceramic Wall tiles solution industry through our ceaseless efforts.

We envision facilitating homes and spaces with enhanced lifestyle solutions through our products.

15+

Years
experience

500+

Tile designs in
different finish

20+

Export
Countries

45000+

boxes per day
production

Feel Your Space



300x450mm

Discover the exquisite 300x450MM Pooja Collection Tiles, crafted to bring elegance and spirituality to your sacred spaces. These tiles are designed with intricate patterns, divine motifs, and high-quality materials to enhance the aesthetic appeal of pooja rooms and religious spaces.

POOJA

collection —

Enhance your spiritual surroundings with the 300x450MM Pooja Collection Tiles, blending tradition with modern craftsmanship for a divine experience.







(HL-1)



(HL-3)



(HL-2)




(HL-4)


TILES
7401

FINISH
GLOSSY

SIZE
300X450MM



(LT)



(HL-1)



(HL-3)



(HL-2)




(HL-4)

TILES
7402

FINISH
GLOSSY


SIZE
300X450MM




(LT)



(HL-1)



(HL-3)



(HL-2)



(HL-4)

TILES
7403

FINISH
GLOSSY


SIZE
300X450MM



(LT)




(HL-1)



(HL-3)



(HL-2)



(LT)

TILES
7404

FINISH
GLOSSY

SIZE
300X450MM



(HL-1)




(HL-3)


TILES
7405

FINISH
GLOSSY


SIZE
300X450MM



(HL-2)



(HL-4)



(LT)



(HL-1)

TILES
7406

FINISH
GLOSSY

SIZE
300X450MM




(HL-2)



(LT)



(HL-1)



(HL-3)

TILES
7407

FINISH
GLOSSY


SIZE
300X450MM



(HL-2)



(HL-4)



(LT)



(HL-1)



(HL-3)

TILES
7408

FINISH
GLOSSY


SIZE
300X450MM



(HL-2)




(HL-4)



(LT)



(HL-1)




(HL-2)

TILES
7409

FINISH
GLOSSY

SIZE
300X450MM



(LT)



(LT)



(DK)

TILES
7410

FINISH
GLOSSY

SIZE
300X450MM



(HL-1)



(HL-2)



(HL-3)



(HL-4)



(HL-5)



(HL-6)



(HL-7)



(HL-8)




(HL-1)


TILES
7411

FINISH
GLOSSY


SIZE
300X450MM



(HL-2)



(LT)



(HL-1)


TILES
7412

FINISH
GLOSSY

SIZE
300X450MM



(HL-2)



(LT)



(HL-1)


TILES
7413

FINISH
GLOSSY

SIZE
300X450MM



(HL-2)



(LT)



(HL-1)

TILES
7414

FINISH
GLOSSY

SIZE
300X450MM



(HL-2)



(LT)



(HL-1)




(HL-2)

TILES
7415

FINISH
GLOSSY

SIZE
300X450MM



(LT)



(HL-1)



(HL-2)

TILES
7416

FINISH
GLOSSY

SIZE
300X450MM



(LT)



(HL)



(LT)

TILES
K-526

FINISH
GLOSSY

SIZE
300X450MM



(HL-1)




(HL-2)

TILES
K-528

FINISH
GLOSSY

SIZE
300X450MM



(LT)

Technical Specification

CHARACTERISTICS	REQUIRMENT AS PER ISO-13006/EN14411 GROUP BIa	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Required	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expantion	Nill	Nill	ISO- 10545- 10



Thank You

CONTACT US : +91 95376 30300

www.marbogresstileslp.com