


MARBOGRESS
SELF COLOURED SURFACES



SPECIAL COLOR SERIES

3 0 0 X 4 5 0 M M

www.marbogresstilesllp.com



INNOVATIVE TILES, INSPIRED SPACES.

Hello!

welcome to marbogress, where innovation meets tradition in the world of ceramic tiles. with decades of expertise, we are committed to crafting high-quality ceramic tiles that elevate any space, from luxurious homes to dynamic commercial environments.

our journey began with a passion for design and a dedication to superior craftsmanship. we combine cutting-edge technology with time-honored techniques to create tiles that are not only visually stunning but also durable and functional. our diverse range of designs, colors, and finishes ensures that you will find the perfect tile to match your unique style and needs.

at marbogress, sustainability is at the heart of what we do. we prioritize eco-friendly practices and use sustainable materials to minimize our environmental impact. our tiles are designed to last, reducing the need for replacements and contributing to a greener future.

www.marbogresstilesllp.com

WHY MARBOGRESS TILES ?

15+
Years
experience

500+
Tile designs in
different finish

20+
Export
Countries

45000+
boxes per day
production



BOLD COLORS

bold spaces let your tiles
speak in shades.

FEATURES :



WALL
TILES




EASY TO
CLEAN



HYGIENIC
SURFACE




ABSORPTION
RESISTANT



100%
WATER PROOF

TILES	FINISH	SIZE
BLACK	GLOSSY	300X450MM



(BLACK)

TILES	FINISH	SIZE
BLUE	GLOSSY	300X450MM




(BLUE)

TILES	FINISH	SIZE
GREEN	GLOSSY	300X450MM



(GREEN)

TILES	FINISH	SIZE
IVORY	GLOSSY	300X450MM



(IVORY)

TILES	FINISH	SIZE
ORANGE	GLOSSY	300X450MM




(ORANGE)

TILES	FINISH	SIZE
RED	GLOSSY	300X450MM




(RED)

TILES	FINISH	SIZE
WHITE	GLOSSY	300X450MM



(WHITE)

TILES	FINISH	SIZE
YELLOW	GLOSSY	300X450MM



(YELLOW)

Technical Specification

CHARACTERISTICS	REQUIRMENT AS PER ISO- 13006/EN14411 GROUP BIa	OUR VALUE	ISO / EN TESTING METHOD
DIMENSION AND SURFACE QUALITY			
Deviation in length & width	(+-0.5%)	(+-0.3%)	ISO- 10545- 2
Deviation in thickness	(+-5.0%)	(+-4.0%)	ISO- 10545- 2
Straightness in side	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Rectangularity	(+-0.5%)	(+-0.1%)	ISO- 10545- 2
Surface flatness	(+-0.5%)	(+-0.2%)	ISO- 10545- 2
Glossiness	MIN 90%	Pass	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	<0.50%	<0.05%	ISO- 10545- 3
MESSIVE MECHANICAL PROPERTIES			
Modulus of repture	MIN. 35N/mm2	MIN. 35N/mm2	ISO- 10545- 4
Breaking strength	MIN. 1300N	MIN. 2000N	ISO- 10545- 4
Impact resistance	As per mfg.	MIN. 0.55	ISO- 10545- 5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion Resistance	MIN. class -2	MIN. Class -3	ISO- 10545- 7
Moh's hardness	MIN. 5	MIN. 6	En101
CHEMICAL PROPERTIES			
Frost Resistance	Required	Pass	ISO- 10545- 12
Household chemicals Resistance	MIN. class AA	Pass	ISO- 10545- 13
Stain Resistance	Resistant	Resistant	ISO- 10545- 14
THERMAL PROPERTIES			
Thermal shock Resistance	10 Cycle	Pass	ISO- 10545- 9
Thermal expansion (COE)	MAX.9.0x10.6	MAX.6.5x10.6	ISO- 10545- 8
Moisture expantion	Nill	Nill	ISO- 10545- 10
PHYSICAL PROPERTIES			
Box Weight	10.8kg	Per / 1Box	-
Tile Thickness	7.5mm	Per / 1pc	-

Thank You

CONTACT US : +91 95376 30300

www.marbogresstilesllp.com